

RSL Hurricane Impact Doorglass



Storm Protection and Beauty at your Doorway



Slim-Line frame

Features and Benefits

- Warm attractive vinyl frame (does not have a cold metal clinical look)
- Vinyl cap covers screws (**NO PLUGS!**)
- **Fits 2'6" and 2'8" doors with normal cutouts**
- Meets & exceeds **High Velocity Hurricane Zone** codes Florida Approval #FL11515 (www.floridabuilding.org)
- Eliminates the need for hurricane shutters
- Covered by a twenty-year limited warranty
- Specifically engineered to meet Florida, Texas and other coastal area requirements for structural and impact performance
- Easy to paint or stain
- Forced entry deterrent



Bevel Cluster

Brass Caming



- 2280 BC-HI 22 x 80
- 2100 BC-HI 22 x 64
- 2026 BC-HI 7 x 64

Tuscany

Liquid Crystal



- 2280 TU-HI 22 x 80
- 2100 TU-HI 22 x 64
- 2880 TU-HI 8 x 80
- 2026 TU-HI 7 x 64

Emerald

Zinc Caming



- 2280 EL-HI 22 x 80
- 2100 EL-HI 22 x 64
- 2026 EL-HI 7 x 64

Serenity/Brigantine

Zinc/Black Patina Caming



- 2280 SE/BG-HI 22 x 80
- 2100 SE/BG-HI 22 x 64
- 2880 SE/BG-HI 8 x 80
- 2026 SE/BG-HI 7 x 64

Templar

Black Patina Caming



- 2280 TE-HI 22 x 80
- 2100 TE-HI 22 x 64
- 2026 TE-HI 7 x 64

Wisteria

Wrought Iron



- 2280 WI-HI 22 x 80
- 2100 WI-HI 22 x 64
- 2026 WI-HI 7 x 64



RSL HURRICANE IMPACT DOORGLASS

Blinds between Glass

Raise • Lower • Tilt




- 2280BBG-HI 22 x 80
- 2815BBG-HI 20 x 80
- 2100BBG-HI 22 x 64
- 2084BBG-HI 20 x 64

2089BBG-HI 22 x 36

Clear or LowE Grills between Glass

5/8" White Grills

- 18 Light
 - 2847GBG-HI 22 x 80
 - 2843GBG-HI 20 x 80
- 15 Light
 - 2177GBG-HI 22 x 64
 - 2173GBG-HI 20 x 64
- 12 Light
 - 2827GBG-HI 14 x 80
- 10 Light
 - 2168GBG-HI 14 x 64
- Sidelights
 - 2823GBG-HI 8 x 80
 - 2142GBG-HI 7 x 64



2090GBG-HI 22 x 48

2156GBG-HI 22 x 36

Clear or LowE 1 Light

- 2280-HI 22 x 80
- 2815-HI 20 x 80
- 2485-HI 14 x 80
- 2100-HI 22 x 64
- 2084-HI 20 x 64
- 2058-HI 14 x 64

- 2880-HI 8 x 80
- 2026-HI 7 x 64



2094-HI 22 x 48

2089-HI 22 x 36

RSL[®]
I N C.
Quality by
Design

800-257-8641
www.RSLinc.com